

Sigma-Aldrich

抗体のゴールドスタンダードブランド

SIGMA-ALDRICH® CHEMICON® **upstate** Calbiochem®

シグマ アルドリッチの研究用抗体

神経変性疾患、がん・細胞骨格

人気の
TOP
50



The life science business of Merck operates as MilliporeSigma in the U.S. and Canada

MERCK

抗体のゴールドスタンダードブランド シグマ アルドリッチの 研究用抗体

取扱ブランド

SIGMA-ALDRICH® CHEMICON® **upstate**® Calbiochem®

特集

Monoclonal Anti-FLAG M2 Antibody

- 世界 1 位の抗体 - **3** ページ

神経変性疾患研究用抗体 **4 ~ 7** ページ

がん・細胞骨格研究用抗体 **8 ~ 11** ページ

幅広い製品ポートフォリオで皆様の研究を支えて まいります

2015 年のメルクミリポアとシグマ アルドリッチの統合により、弊社から皆様へお届けできる抗体が飛躍的に多くなりました。本冊子では、特に研究者の皆様にご採用いただいている実績の多い " 神経変性疾患研究用抗体 " と " がん・細胞骨格研究用抗体 " を中心に各研究分野 Top50 製品をご紹介します。

The Power of One



略語	免疫動物・反応性
All	All species
Am	Amphibian
Ahm	Armenian Hamster
Av	Avian
B	Bovine
Ca	Canine
Ch	Chicken
Chp	Chimpanzee
Dr	Drosophila
Eu	Eukaryote
Fe	Feline
Ft	Ferret
F	Fish
Fr	Frog
Gt	Goat
Gp	Green Plants
Gp	Guinea Pig
Ht	Hamster
Eq	Horse
H	Human
Li	Lizard
Ma	Mammals

略語	免疫動物・反応性
Ml	Mollusk
Mk	Monkey
M	Mouse
Op	Opossum
Po	Pig
Pm	Primate
Qu	Quail
Rb	Rabbit
R	Rat
Rp	Reptile
Rm	Rhesus Macaque
Sal	Salamander
Su	Sea Urchin
Sh	Sheep
Sqd	Squid
Tet	Tetrahymena
WR	Vertebrates
Xe	Xenopus
Y(c)	Yeast (<i>S. cerevisiae</i>)
Y(p)	Yeast (<i>S. pombe</i>)
Zf	Zebrafish

略語	アプリケーション
FUNC	Affects Function
ChIP	Chromatin IP (ChIP)
DB	Dot Blot
EM	Electron Microscopy
EMSA	Electrophoretic Mobility Shift Assay
ELISA	Enzyme-Linked Immuno Sorbent Assay
FC	Flow Cytometry
IC	Immunocytochemistry
IF	Immunofluorescence
IH	Immunohistochemistry
IH(F,P)	Immunohistochemistry (formalin-fixed, paraffin-embedded sections)
IH(F)	Immunohistochemistry (frozen sections)
IH(P)	Immunohistochemistry (Paraffin)
IP	Immunoprecipitation
NEUT	Neutralizing
Mplex	Multiplexing
PIA	Peptide Inhibition Assay
RIA	Radioimmunoassay
WB	Western Blotting

略語	販売取扱
M	メルク
S	シグマ アルドリッチ

世界 1 位の抗体



Image by <https://www.citeab.com/>

SIGMA-ALDRICH®

論文引用に基づく抗体検索エンジン "CiteAb" (<https://www.citeab.com/>) にて 2016 年世界で最も引用された抗体として the CiteAb Antibody Awards "Most cited antibody of the year" 部門でシグマアルドリッチの **Monoclonal Anti-FLAG® M2** (カタログ番号 **F1804**) が選ばれました!


シグマ アルドリッチの抗体は 2014 年に CiteAb にて本賞が設立されて以来、さまざまな部門で続けて受賞しております。今後も品質の高い革新的な製品の供給に努めてまいります。引き続きご愛顧いただきますよう、何卒よろしくお願い申し上げます。

受賞
製品

世界 1 位の抗 FLAG M2 抗体

モノクローナル抗 FLAG M2 抗体 (カタログ番号 F1804)

従来のマウスモノクローナル抗 FLAG M2 抗体(カタログ番号 F3165)をアフィニティ精製して特異性をさらに高めた抗 FLAG M2 抗体です。



Sigma® の抗 FLAG M2 抗体 (左) と他社の抗 DYKDDDDK 抗体 (右) の比較

サンプル 1 から 6 の順に 10 ng、5 ng、2.5 ng、1.25 ng、0.6 ng、0.3 ng の FLAG-BAP タンパク質を含む HeLa 細胞抽出液をロードし、SDS-PAGE で分離後、ウェスタンブロットにより FLAG-BAP タンパク質を検出しました。



製品の特長

- 高い反応性と低いバックグラウンド
- 染色で特に高い評価
- 引用論文 4000 以上

抗原: DYKDDDDK

反応性: FLAG タグ、3xFLAG タグ

アプリケーション: WB、免疫染色、免疫沈降

免疫動物: マウス (アイソタイプ IgG1)

包装容量	カタログ番号	希望販売価格	販売取扱
50 µg	F1804-50UG	¥12,000	S
200 µg	F1804-200UG	¥38,000	S
1 mg	F1804-1MG	¥72,000	S
5 mg	F1804-5MG	¥116,000	S

根強い
人気

強い反応性の抗 FLAG M2 抗体

モノクローナル抗 FLAG M2 抗体 (カタログ番号 F3165)

従来のマウスモノクローナル抗 FLAG M2 抗体です。マウス腹水から精製されたイムノグロブリンのため、アフィニティ精製抗体より強い反応性が期待できます。

抗原: DYKDDDDK

反応性: FLAG タグ、3xFLAG タグ

アプリケーション: WB、免疫沈降、免疫染色、ELISA など

免疫動物: マウス (アイソタイプ IgG1)

包装容量	カタログ番号	希望販売価格	販売取扱
0.2 mg	F3165-.2MG	¥38,600	S
1 mg	F3165-1MG	¥76,800	S
5 mg	F3165-5MG	¥213,000	S

FLAG 精製のベストセラー

抗 FLAG M2 抗体 アフィニティゲル

レジン (アガロース) にマウスモノクローナル抗 FLAG M2 抗体を共有結合させた製品です。哺乳類細胞や大腸菌などで発現させた FLAG または 3xFLAG 融合タンパク質の精製に用いられます。

抗原: DYKDDDDK

交差性: FLAG タグ、3xFLAG タグ

適用: FLAG タグ融合タンパク質の精製

結合能: 0.6 mg/mL

包装容量	カタログ番号	希望販売価格	販売取扱
1 mL	A2220-1ML	¥33,000	S
5 mL	A2220-5ML	¥98,000	S
10 mL	A2220-10ML	¥198,000	S
25 mL	A2220-25ML	¥439,000	S


FLAG システムの詳細はこちら

[Sigma.com/flag-jp](https://sigma.com/flag-jp)



ご注文情報


製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-NeuN Antibody, clone A60 A	H, M, R, Av, Ch, Ft, Po, Sal	M	Mono	FC, IC, IF, IH, IH(P), IP, WB	500 µg	MAB377	¥75,400	M
Anti-Tyrosine Hydroxylase Antibody B	H, M, R, Dr, Fe, Ft, ML, Sqd	Rb	Poly	ELISA, IF, IH, IH(P), IP, WB	100 µL	AB152	¥73,400	M
Anti-NG2 Chondroitin Sulfate Proteoglycan Antibody	H, M, R, Mk	Rb	Poly	ELISA, IC, IH, IP, WB	100 µg	AB5320	¥73,400	M
Anti-GAD67 Antibody, clone 1G10.2	H, M, R	M	Mono	IH, IH(P), WB	100 µg	MAB5406	¥75,400	M
Anti-Choline Acetyltransferase Antibody	H, M, R, Av, Ch, Gp, Mk, Op, Zf	Gt	Poly	IC, IH, IH(P), WB	500 µL	AB144P	¥77,900	M
Anti-Tyrosine Hydroxylase Antibody, clone LNC1	H, M, R, Ch, Fr, Mk, Li, Vole, Zf	M	Mono	IH, IH(P), IP, WB	100 µL	MAB318	¥76,900	M
Milli-Mark™ FluoroPan Neuronal Marker - Alexa488 conjugated	H, R, M	M	Mono	IC, IF	100 µL	MAB2300X	¥86,500	M
Anti-Glial Fibrillary Acidic Protein Antibody, clone GA5	H, M, R, B, Ch, Po, Rb	M	Mono	IC, IH, IH(P), WB	100 µL	MAB360	¥75,400	M
Anti-Polysialic Acid-NCAM Antibody, clone 2-2B	H, M, R, WR	M	Mono	IC, IH, RIA, WB	50 µL	MAB5324	¥75,400	M
Anti-Glial Fibrillary Acidic Protein Antibody, clone GA5	H, M, R, B, Ch, Po, Rb	M	Mono	IC, IH, IH(P), WB	40 µg	MAB3402	¥75,400	M
Anti-O4 Antibody, clone 81	H, M, R, Ch	M	Mono	IC, IHC	50 µg	MAB345	¥73,400	M
Anti-Tau-1 Antibody, clone PC1C6	H, R, B	M	Mono	IH, WB	100 µg	MAB3420	¥75,400	M
Anti-Sox2 Antibody	H, M	Rb	Poly	IC, IF, IH, WB	100 µg	AB5603	¥73,400	M
Anti-Olig-2 Antibody	H, M, R	Rb	Poly	IC, IH, IH(P), IP, WB	100 µL	AB9610	¥76,900	M
Anti-APP A4 Antibody, a.a. 66-81 of APP, NT, clone 22C11 C	H, M, R, Ca, F, Mk, Po	M	Mono	IF, IH, IH(P), WB	50 µg	MAB348	¥73,400	M
Anti-Tubulin Antibody, beta III isoform, CT, clone TU-20 (Similar to TUJ1)	H, M, R, Av, B, Mk, Po, Sh	M	Mono	ELISA, IC, IH, IH(P), IP, WB	100 µL	MAB1637	¥65,800	M
Anti-Na+/K+ ATPase α -1 Antibody, clone C464.6	H, M, R, Ca, Mk, Po, Rb, Sh, Xe	M	Mono	IC, IH, IP, WB	50 µg	05-369	¥75,400	M
Anti-Glutamine Synthetase Antibody, clone GS-6	H, M, R, Sh	M	Mono	ELISA, IH, IH(P), WB	100 µg	MAB302	¥76,900	M
Anti-Glutamate Receptor 2 Antibody, extracellular, clone 6C4	M, R, Ca, Mk	M	Mono	ELISA, IC, IH, IP, RIA, WB	100 µg	MAB397	¥75,400	M
Anti-NeuN Antibody (rabbit)	H, M, R, Snail	Rb	Poly	IC, IF, IH, WB	100 µg	ABN78	¥73,400	M
Anti-PSD95 Antibody, clone K28/43	H, M, R	M	Mono	IC, IH, WB	100 µg	MABN68	¥76,900	M
Anti-Calbindin D-28K Antibody	H, M, R	Rb	Poly	IC, IH, IH(P), WB	100 µL	AB1778	¥73,400	M
Anti-MAP2 Antibody, clone AP20	H, M, R, B, Ch, Qu, Xe	M	Mono	IH, WB	200 µg	MAB3418	¥73,400	M
Anti-Tau (4-repeat isoform RD4) Antibody, clone 1E1/A6	H, M, R, B	M	Mono	IH, WB	200 µL	05-804	¥75,400	M
Anti-Vesicular Glutamate Transporter 1 Antibody	R	Gp	Poly	IH	50 µL	AB5905	¥76,900	M
Anti-Dopamine β Hydroxylase Antibody, clone 4F10.2	R, B, Sh	M	Mono	IF, IH, IH(P)	100 µL	MAB308	¥73,400	M




MAB377



AB152



MAB348



AB1987

製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-Polyglutamine-Expansion Diseases Marker Antibody, clone 5TF1-1C2	H	M	Mono	ELISA, IC, IH(P), IP, WB	100 µL	MAB1574	¥76,900	M
Anti-GluR1-NT (NT) Antibody, clone RH95	R	M	Mono	ELISA, IC, IP, WB	100 µg	MAB2263	¥75,400	M
Anti-Somatostatin Antibody, clone YC7	H, R, Rb	R	Mono	IH	100 µL	MAB354	¥76,900	M
Anti-NeuN Antibody, clone A60, Alexa Fluor®488 conjugated	H, M, R	M	Mono	IH	500 µg	MAB377X	¥76,900	M
Anti-Tau (3-repeat isoform RD3) Antibody, clone 8E6/C11	H	M	Mono	IH, WB	200 µL	05-803	¥73,400	M
Anti-Dopamine D2 Receptor Antibody	H, M, R, Mk	Rb	Poly	ELISA, IH, IP, WB	50 µg	AB5084P	¥76,900	M
Anti-Glutamate receptor 1 Antibody	M, R	Rb	Poly	IH(P), IP, WB	200 µL	AB1504	¥73,400	M
D Anti-Neurofilament M (145 kDa) Antibody, CT	H, M, R, B, Ch, Po, Qu, Rb, Rp	Rb	Poly	IC, IH, IH(P), WB	50 µL	AB1987	¥73,400	M
Anti-Reelin Antibody, a.a. 164-496 mreelin, clone G10	H, M, R	M	Mono	IH, WB	100 µg	MAB5364	¥76,900	M
Anti-Synapsin I Antibody	H, M, R, B	Rb	Poly	IC, IH (P), IP, WB	50 µL	AB1543	¥65,800	M
Anti-Nitrotyrosine Antibody	All	Rb	Poly	IC, IH, IP, WB	100 µg	06-284	¥73,400	M
Anti-Nerve Growth Factor Receptor Antibody, p75	H, M, R	Rb	Poly	IC, IH (P), IP	100 µL	AB1554	¥73,400	M
Anti-Glial Fibrillary Acidic Protein (GFAP) Antibody	B, Ca, H, R	Rb	Poly	IC, IH, IH (P)	50 µL	AB5804	¥75,400	M
Anti-Myelin Associated Glycoprotein Antibody, clone 513	H, M, R, B, Ch, Fr	M	Mono	IC, IH, WB	100 µg	MAB1567	¥76,900	M
Anti-Huntingtin Protein Antibody, a.a. 181-810, clone 1HU-4C8	H, M, R, Ht, Mk, Rb	M	Mono	ELISA, IC, IH(P), IP, WB	100 µL	MAB2166	¥73,400	M
Anti-Dopamine Transporter Antibody, NT, clone DAT-Nt	H, M, R, Mk	R	Mono	IC, IH, WB	100 µL	MAB369	¥75,400	M
Anti-Galactocerebroside Antibody, clone mGalC	H, M, R, B, Ch, Rb	M	Mono	ELISA, IC, IH, WB	50 µg	MAB342	¥73,400	M
Anti-Glutamate Decarboxylase 65 & 67 Antibody	H, M, R, Fe	Rb	Poly	IH, WB	50 µL	AB1511	¥73,400	M
Anti-O1 Antibody, clone 59	H, M, R, Ch	M	Mono	IH	50 µg	MAB344	¥73,400	M
Anti-Growth Associated Protein-43 (GAP-43) Antibody	H, M, R, B, Ch	Rb	Poly	ELISA, IC, IH, IP, WB	100 µL	AB5220	¥76,900	M
Anti-Olig2 Antibody, clone 211F1.1	M, H, R	M	Mono	IC, IH, IP, WB	100 µg	MABN50	¥76,900	M
Anti-Parvalbumin Antibody	H, M, R, B, Ca, F, Fe, Fr, Gt, Po, Rb	M	Mono	IC, IH (P), WB	100 µL	MAB1572	¥76,900	M
Anti-GluR1 Antibody, clone C3T, rabbit monoclonal	H, M, R, Chp	Rb	Mono	IH, IP, WB	100 µL	04-855	¥73,400	M
Anti-Myelin Basic Protein Antibody, a.a. 82-87	H, M, R, B, Ch, Gp, Sh, Rb	R	Mono	ELISA, IC, IH, RIA, WB	1 mL	MAB386	¥76,900	M

▶ シグマ アルドリッチの抗体検索はこちら sigma.com/antibody-jp

販売取扱について： カatalog番号を青で表記している製品の取扱いはメルク株式会社、赤で表記している製品の取扱いはシグマ アルドリッチジャパン合同会社となります。ご確認のうえ、各社へご注文くださいますようお願い申し上げます。

ご注文情報

製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-Glial Fibrillary Acidic Protein (GFAP) antibody, clone G-A-5 A	H, R, Po	M	Mono	IH, microarray	200 µL	G3893-.2ML	¥77,000	S
Anti-GABA antibody B	R, wide range, Dr	Rb	Poly	DB, IH (F,P)	100 µL	A2052-100UL	¥78,000	S
Anti-Neurofilament 200 antibody	wide range, B	Rb	Poly	IH (F,P), microarray, WB	200 µL	N4142-.2ML	¥71,900	S
Anti-Glial Fibrillary Acidic Protein antibody	H, R	Rb	Poly	IH (F,P), microarray, WB	200 µL	G9269-.2ML	¥82,200	S
Anti-Tyrosine Hydroxylase antibody, clone TH-16	H, R, B, Gp, Mk, Rb, Sh	M	Mono	IP, microarray, WB	200 µL	T2928-.2ML	¥93,100	S
Anti-Neurofilament 200 (Phos. and Non-Phos.) antibody, clone N52	wide range	M	Mono	IH (F,P), IH (F), microarray, WB	200 µL	N0142-.2ML	¥71,900	S
Anti-Synaptophysin antibody, clone SVP-38	H, R, Gp, Po	M	Mono	IH (F,P), IH (F), ELISA, WB	200 µL	S5768-.2ML	¥93,100	S
Anti-Nicotinic Acetylcholine Receptor (alpha1, alpha3, alpha5 Subunits) antibody, clone mAb 35	H, Ch, eel	R	Mono	IH (F)	100 µL	M217-100UL	¥157,100	S
Anti-Serotonin antibody	H, R	Rb	Poly	IH (F,P), IH (F)	200 µL	S5545-.2ML	¥71,900	S
Anti-Tyrosine Hydroxylase antibody, clone TH-2	H, R, B, Gp, Mk, Rb, Sh	M	Mono	IH, IP, WB	200 µL	T1299-.2ML	¥93,100	S
Anti-CNPase antibody, clone 11-5B	H, M, R, B, Ca, Po, Sh, Rb	M	Mono	IH, ELISA, microarray, WB	200 µL	C5922-.2ML	¥93,100	S
Anti-Synapsin I antibody	H, M, R, B	Rb	Poly	DB, IH (F), IP, IF, WB	10 µg	S193-10UG	¥67,500	S
Anti-Serotonin Transporter (N-terminal) antibody	H	Rb	Poly	WB	200 µL	SAB4200039-200UL	¥76,200	S
Anti-Myelin Basic Protein (MBP) antibody	H, M, R	Rb	Poly	FC, IH, WB	100 µg	M3821-100UG	¥47,900	S
Anti-Tryptophan Hydroxylase antibody, clone WH-3	H, R, Mk, Rb	M	Mono	IH, ELISA, microarray, WB	100 µL	T0678-100UL	¥74,100	S
Anti-Glial Fibrillary Acidic Protein (GFAP)-Cy3(TM) antibody, clone G-A-5	H, R, Po	M	Mono	IF	200 µL	C9205-.2ML	¥54,000	S
Anti-Amyloid Precursor Protein, C-Terminal antibody	H, M, R	Rb	Poly	IH (F,P), microarray, WB	200 µL	A8717-.2ML	¥93,100	S
Anti-Cholecystokinin (26-33) (CCK-8) antibody	H	Rb	Poly	IH (F,P), RIA	200 µL	C2581-.2ML	¥69,600	S
Anti-Substance P Receptor antibody	H, M, R, Gp	Rb	Poly	IH (F), microarray, WB	200 µL	S8305-.2ML	¥109,800	S
Anti-Opisin antibody, clone RET-P1	H, M, R, Am, B, dove, duck, goldfish, Rb, turtle, tiger salamander, Qu	M	Mono	EM, IC, IH (F), ELISA, RIA, WB	200 µL	O4886-.2ML	¥80,800	S
Anti-Neuropeptide Y (NPY) antibody	H, R, Po, Sh	Rb	Poly	IH (F), ELISA	200 µL	N9528-.2ML	¥114,000	S
Anti-Syntaxin antibody, clone HPC-1	R, B, Rb	M	Mono	IC, microarray, WB	200 µL	S0664-.2ML	¥90,800	S
Anti-Glutamine Synthetase antibody	R	Rb	Poly	IC, microarray, WB	200 µL	G2781-.2ML	¥93,300	S
Anti-Parkin antibody, clone PRK8	H, M, R, Ht	M	Mono	microarray, WB	200 µL	P6248-200UL	¥75,200	S
Anti-Glial Fibrillary Acidic Protein antibody	H, M, R	Rb	Poly	FC, IH, WB	100 µg	G4546-100UG	¥47,900	S
Anti-Nicestrin antibody	H, M, R	Rb	Poly	microarray, WB	200 µL	N1660-.2ML	¥81,200	S



G3893

N4142

SAB4200544

N2912

製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-GAD65 antibody, clone N-GAD65	H, M, R, Mk	M	Mono	IH, IP, WB	200 µL	SAB4200232-200UL	¥80,000	S
Anti-GABA antibody, clone GB-69	M	M	Mono	DB, IF, IH, ELISA	200 µL	A0310-.2ML	¥93,100	S
Anti-Growth Associated Protein-43 antibody, clone GAP-7B10	H, M, R, Ch, Fe, Ht, snake	M	Mono	IH, WB	100 µL	G9264-100UL	¥71,900	S
Anti-Neurofilament 160 antibody, clone NN18	H, Po	M	Mono	IH (F,P), IH (F), WB	200 µL	N5264-.2ML	¥71,900	S
Anti-Glutamate antibody	wide range	Rb	Poly	DB	200 µL	G6642-.2ML	¥71,900	S
Anti-Glutamic Acid Decarboxylase 65/67 antibody	H, M, R, Fe, Po	Rb	Poly	IH (F,P), microarray, WB	200 µL	G5163-.2ML	¥113,600	S
Anti-Glutamic Acid Decarboxylase 67 (GAD67) antibody, clone K-87	H, M, R	M	Mono	IH (F,P), WB	100 µg	G5419-100UG	¥82,000	S
Anti-Oligodendrocyte Marker O4 antibody, clone O4	H, M, R, Ch	M	Mono	FC, IC	50 µg	O7139-50UG	¥49,900	S
Anti-Glutamic Acid Decarboxylase 65 (514-530) antibody	H, M, R, Po	Rb	Poly	IH (F,P), microarray, WB	200 µL	G4913-.2ML	¥109,600	S
Anti-Nicotinic Acetylcholine Receptor (alpha7 Subunit) antibody, clone mAb 306	H (denatured), R (denatured), Ch	M	Mono	IH (F)	100 µL	M220-100UL	¥162,600	S
Anti-PSD95 antibody, clone 7E3-1B8	R	M	Mono	IP, IF, WB	100 µL	P246-100UL	¥102,100	S
Anti-Glucocerebrosidase (C-terminal) antibody	H, M, R	Rb	Poly	WB	200 µL	G4171-200UL	¥69,400	S
Anti-SNAP-25 antibody	M, R	Rb	Poly	IH (F,P), microarray, WB	100 µL	S9684-100UL	¥71,900	S
Anti-Tyrosine Hydroxylase antibody	Ma	Rb	Poly	IH (F), IF, WB	100 µL	T8700-1VL	¥100,500	S
Anti-phospho-N-Methyl D-Aspartate NR2B Subunit (pTyr1472) antibody	H, M, R, Ch, Xe	Rb	Poly	IC, IP, ELISA, WB	100 µL	M2442-100UL	¥87,700	S
Anti-beta-Amyloid Protein (1-40) antibody	H	Rb	Poly	DB, IH (F,P)	500 µL	A8326-.5ML	¥121,200	S
Anti-Synaptopodin (SE-19) antibody	R	Rb	Poly	microarray, WB	200 µL	S9442-200UL	¥79,300	S
Anti-Glutamate antibody, clone GLU-4	wide range	M	Mono	ELISA	200 µL	G9282-.2ML	¥75,900	S
Anti-Histamine antibody	wide range	Rb	Poly	DB, IH	200 µL	H7403-.2ML	¥67,600	S
Anti-BACE 1, N-Terminus (46-62) antibody	H	Rb	Poly	WB	200 µL	B0681-.2ML	¥70,700	S
Anti-Synaptophysin antibody, clone SVP-38 C	H, R	M	Mono	IH (F,P), IF, WB	200 µL	SAB4200544-200UL	¥74,600	S
Anti-Neurofilament 160/200 antibody, clone RMD020 D	H, M, R	M	Mono	IC, IH, microarray, WB	200 µL	N2912-200UL	¥93,100	S
Anti-Prion Protein antibody, clone 8H4	H, M, R, B, Mk, Sh	M	Mono	ELISA, EM, FC, IC, IH, IP, WB	200 µL	P0110-200UL	¥85,100	S
Anti-Serotonin N-Acetyltransferase (C-Terminal) antibody	M, R	Rb	Poly	WB	50 µg	S0689-50UG	¥58,700	S

▶ シグマ アルドリッチの抗体検索はこちら sigma.com/antibody-jp

販売取扱について： カタログ番号を青で表記している製品の取扱いはメルク株式会社、赤で表記している製品の取扱いはシグマ アルドリッチジャパン合同会社となります。ご確認のうえ、各社へご注文くださいますようお願い申し上げます。

【製品の技術的なお問い合わせ（テクニカルサービス）】

<メルク製品>

TEL：03-4531-1140

FAX：03-5434-4859

Email：bioinfo@merckgroup.com

<シグマ アルドリッチ製品>


TEL：03-6756-8245

FAX：03-6756-8302


Email：sialjpts@sial.com

ご注文情報


製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-Actin Antibody, clone C4 A	All	M	Mono	ELISA, IC, IF, IH, IH(P), WB	100 µL	MAB1501	¥73,400	M
Anti-Actin Antibody, near a.a. 50-70, clone C4	All	M	Mono	ELISA, IC, IF, IH, IH(P), WB	100 µg	MAB1501R	¥73,400	M
Anti-Integrin α V β 3 Antibody, clone LM609	H, Av, B, Ca, Ch, Mk, Po, Rb	M	Mono	FC, IF, IH, IP, FUNC	100 µg	MAB1976	¥73,400	M
Anti-PECAM-1 Antibody, clone 2H8, Azide Free	M, Ca	AHt	Mono	EM, FC, IC, IF, IH, IP, NEUT	100 µg	MAB1398Z	¥73,400	M
Anti-Mouse Collagen Type I Antibody	M	R	Poly	ELISA, IH, RIA, WB	100 µg	AB765P	¥69,300	M
Anti-Tubulin Antibody, β, clone KMX-1	H, M, R, All	M	Mono	IC, WB	50 µg	MAB3408	¥73,400	M
Anti-Laminin-5 (γ 2 chain) Antibody, clone D4B5	H	M	Mono	ELISA, IH(P), WB	100 µg	MAB19562	¥66,300	M
Anti-von Willebrand Factor Antibody	H, M, R	Rb	Poly	ELISA, IH(P)	100 µg	AB7356	¥66,300	M
Anti-Integrin α V β 3 Antibody, clone LM609, Azide Free	Av, B, Ca, Ch, H, Mk, Po, Rb,	M	Mono	FC, FUNC, IH, IP	100 µg	MAB1976Z	¥73,400	M
Anti-Partitioning-defective 3 Antibody	H, M, R, Ca, Mk	Rb	Poly	IC, WB	200 µg	07-330	¥66,300	M
Anti-Tubulin Antibody, Detyrosinated	H, M, R, Gp, Ma, Su	Rb	Poly	IC, IH(P), WB	50 µg	AB3201	¥66,300	M
Anti-Aggregan Antibody	M	Rb	Poly	IF, IH(P), IP, WB	50 µg	AB1031	¥69,300	M
Anti-Vimentin Antibody, clone V9	H, R, B, Ca, Ch, Fe, Mk, Po	M	Mono	IC, IH, IH(P), WB	40 µg	MAB3400	¥66,300	M
Anti-Integrin α 5 β 1 Antibody, clone JBS5	H, Mk	M	Mono	FUNC, IH, IH(P), IP	100 µL	MAB1969	¥66,300	M
Anti-Caspase 3 Antibody, active (cleaved) form	H, M, R,	Rb	Poly	IF, IH, IH(P), WB	50 µg	AB3623	¥66,300	M
Anti-Dynein Antibody, 74 kDa Intermediate chains, cytoplasmic, clone 74.1	H, M, R, B, Dr, F, Sh, Xe	M	Mono	IC, IF, IP, WB	100 µg	MAB1618	¥73,400	M
Anti-Integrin β 1 Antibody, clone MB1.2	M, R	R	Mono	FC, IH, IP, WB	100 µg	MAB1997	¥66,300	M
Anti-Integrin β 1 Antibody, clone 6S6, Azide Free	H	M	Mono	FC, FUNC, IH, IP	100 µg	MAB2253Z	¥66,300	M
Anti- α -Tubulin Antibody, clone DM1A	H, M, R, Av, B, Gp, Po	M	Mono	IC, IF, WB	200 µg	05-829	¥69,300	M
Anti-Cytokeratin AE1/AE3 Antibody, recognizes acidic & basic cytokeratins, clone AE1/AE3	H, M, R, B, Ch, Mk, Rb	M	Mono	ELISA, IH, WB	500 µg	MAB3412	¥66,300	M
Anti-Cytokeratin 5 Antibody, 6, clone D5/16B4	H, M, R	M	Mono	IF, IH(P), WB	50 µg	MAB1620	¥66,300	M
Anti-Cortactin (p80/85) Antibody, clone 4F11	H, M, R, Av, B, Ht	M	Mono	IC, IH, IP, WB	200 µg	05-180	¥66,300	M
Anti-MMP-14 Antibody, catalytic domain, clone LEM-2/15.8	M	M	Mono	ELISA, IP, WB	100 µg	MAB3328	¥66,300	M
Anti-MMP-9 Antibody, Catalytic domain	H, M, R	Rb	Poly	IH, IP, WB	100 µg	AB19016	¥69,300	M
Anti-Integrin β 1 Antibody, a.a. 82-87, clone JB1A (a.k.a. J10)	H	M	Mono	FC, FUNC, IH, IP, WB	100 µL	MAB1965	¥69,300	M
Anti-Elastin Antibody, clone 10B8	H, M, B, Ch	M	Mono	ELISA, IF, IP, WB	100 µg	MAB2503	¥66,300	M
Anti-Collagen Antibody, Type IV	M	Rb	Poly	ELISA, IF, IH(P)	100 µg	AB756P	¥69,300	M
Anti-Integrin β 1 Antibody, clone P4C10, azide free	H	M	Mono	ELISA, FUNC, IC, IP, WB	100 µg	MAB1987Z	¥66,300	M




MAB1501



MAB1393-I



AB6004



MAB1959

製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-Integrin α 4 Antibody, clone PS/2	H, M	R	Mono	FC, FUNC, IF, IP, IH,	500 µg	CBL1304	¥66,300	M
Anti-Fibrillin-1 Antibody, NT, clone 26	H	M	Mono	ELISA, IC, IP, WB	100 µg	MAB2502	¥66,300	M
Anti-PECAM-1 (CD31) Antibody, clone TLD-3A12 B	H, R	M	Mono	ELISA, FC, FUNC, IH, IH(P), WB	100 µg	MAB1393-I	¥65,000	M
Anti-Integrin α 6 Antibody, clone NKI-GoH3	H, M	R	Mono	FC, FUNC, IH	100 µg	MAB1378	¥66,300	M
Anti-Spectrin alpha chain (nonerythroid) Antibody, clone AA6	H, M, R, Rb, Ch, Gp, Ma, Po	M	Mono	ChIP, IH, IP, WB	50 µg	MAB1622	¥66,300	M
Anti-ADAM 10 Antibody, CT	H, M, R, B	Rb	Poly	IF, IH(P), WB	100 µg	AB19026	¥66,300	M
Anti-Cytokeratin 7 Antibody, clone RCK105	H, M, R, Ca, Fe, Ht, Po	M	Mono	FC, IC, IH, WB	100 µg	MAB3226	¥66,300	M
Anti-α-Dystroglycan Antibody, clone VIA4-1	H, M, R, Ca, Gp, Po, Rb	M	Mono	IH, WB	200 µL	05-298	¥67,800	M
Anti-Integrin α IIb Mouse mAb (283.16B7)	H	M	Mono	ELISA, FC, IH(P)	100 µL	407313-100UL	¥52,600	M
Anti-Phosphatidylserine Antibody, clone 1H6	WR	M	Mono	FC, IH	200 µg	05-719	¥66,300	M
Anti-phospho-Brk (Tyr342) Antibody	H	Rb	Poly	WB	100 µL	09-144	¥67,800	M
Anti-Integrin β 1 Antibody, activated, clone HUTS-4, Azide Free	H, R	M	Mono	ELISA, FC, IH, WB	100 µg	MAB2079Z	¥66,300	M
Anti-Heparin/Heparan Sulfate Antibody, clone T320.11	Ma	M	Mono	ELISA, RIA, WB	100 µg	MAB2040	¥69,300	M
Anti-Cytokeratin 15 Antibody, clone LHK15	H, M	M	Mono	ELISA, IH, IH(P), WB	100 µg	CBL272	¥66,300	M
Anti-Integrin α 3 Antibody	H, M, R, B, Ca, Ch, Eq, Gt, Ht, Po, Sh	Rb	Poly	ELISA, IF, IH, IP, RIA, WB	100 µL	AB1920	¥66,300	M
Anti-MT1-MMP Antibody, hinge region C	H, R	Rb	Poly	IH(P), WB	100 µg	AB6004	¥66,300	M
Anti-Versican Antibody, a.a. 535-598 of mouse versican	M	Rb	Poly	IH(P), IP, WB	50 µg	AB1032	¥67,800	M
Anti-Versican Antibody, a.a. 1360-1439 of mouse versican	M	Rb	Poly	IH(P), IP, WB	50 µg	AB1033	¥67,800	M
Anti-Integrin α 5 Antibody, clone P1D6, azide free	H	M	Mono	FUNC, IH	100 µg	MAB1956Z	¥66,300	M
Anti-LIBS2 epitope (Integrin beta3 subunit) Antibody, clone ab62	H	M	Mono	FC, WB	100 µg	MABT27	¥67,800	M
Anti-Fibrillin-1 Antibody, CT, clone 69	H	M	Mono	ELISA, IC, IP, WB	100 µg	MAB2499	¥66,300	M
Anti-Integrin β 1 Antibody, clone P5D2 D	H	M	Mono	ELISA, FC, FUNC, IC, IH, IP	100 µg	MAB1959	¥66,300	M

▶ シグマ アルドリッチの抗体検索はこちら sigma.com/antibody-jp

販売取扱について： カatalog番号を青で表記している製品の取扱いはメルク株式会社、赤で表記している製品の取扱いはシグマ アルドリッチジャパン合同会社となります。ご確認のうえ、各社へご注文くださいますようお願い申し上げます。

【製品の技術的なお問い合わせ（テクニカルサービス）】

<メルク製品>

TEL：03-4531-1140

FAX：03-5434-4859

Email：bioinfo@merckgroup.com

<シグマ アルドリッチ製品>

TEL：03-6756-8245

FAX：03-6756-8302

Email：sialjpts@sial.com


ご注文情報

製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti- β -Actin antibody, clone AC-15  受賞製品	H, M, R, B, Ca, carp, Ch, Fe, Gp, Hirudo medicinalis, Po, Rb, Sh	M	Mono	IH (F,P), ELISA, IF, WB	200 μ L	A5441-.2ML	¥91,800	S
Anti- α -Tubulin antibody, clone DM1A	H, M, R, Am, B, Ch, fungi, yeast	M	Mono	IF, WB	200 μ L	T9026-.2ML	¥93,300	S
Anti- β -Actin antibody, clone AC-15	H, M, R, B, Ca, carp, Ch, Fe, Gp, Hirudo medicinalis, Po, Rb, Sh	M	Mono	IC, IH (F), IF, microarray, WB	200 μ L	A1978-200UL	¥93,100	S
Anti-Actin, α -Smooth Muscle, clone 1A4	H, M, R, B, Ca, Ch, Fr, Gp, Gt, Rb, Sh, snake	M	Mono	IH (F,P), IH (F), IF, WB	200 μ L	A2547-.2ML	¥93,300	S
Anti- β -Actin antibody, clone AC-74	H, M, R, B, Ca, carp, cat, Ch, Dr, Hirudo medicinalis, Gp, Po, Rb, Sh, wide range	M	Mono	IH (F,P), ELISA, WB	200 μ L	A5316-.2ML	¥93,100	S
Anti-Actin antibody	H, amoeba, Ch, slime mold, wide range, WR	Rb	Poly	IH (F,P), IF, WB	200 μ L	A2066-.2ML	¥82,500	S
Anti- α -Tubulin antibody, clone B-5-1-2	H, M, R, African green monkey, B, Ch, Chlamydomonas, kangaroo rat, Su	M	Mono	IF, RIA, WB	200 μ L	T5168-.2ML	¥93,100	S
Anti-Laminin antibody	H, animal	Rb	Poly	DB, IH (F,P), microarray	200 μ L	L9393-.2ML	¥93,100	S
Anti- β -Actin antibody, clone AC-74	H, M, R, B, Ca, cat, carp, Ch, Dr, Gp, Hirudo medicinalis, Po, Rb, Sh, wide range	M	Mono	IC, IH, microarray, WB	200 μ L	A2228-200UL	¥93,100	S
Anti-Actin, α -Smooth Muscle - Cy3(TM) antibody, clone 1A4	H, M, R, B, Ca, Ch, Fr, Gp, Gt, Sh, snake, Rb	M	Mono	IH (F,P)	200 μ L	C6198-.2ML	¥101,500	S
Anti- α -Actinin (Sarcomeric) antibody, clone EA-53	H, M, R, B, Ca, Ch, F, Fe, Fr, Gt, Ht, Li, Po, Rb, Sh, snake	M	Mono	IH (F,P), ELISA, IF, WB	100 μ L	A7811-100UL	¥71,900	S
Anti-Acetylated Tubulin antibody, clone 6-11B-1	H, M, R, B, Ch, Fr, Ht, invertebrates, Mk, plant, Po, protista	M	Mono	DB, EM, IH, RIA, WB	100 μ L	T7451-100UL	¥71,900	S
Anti-Actin, α -Smooth Muscle antibody, clone 1A4	H, M, R, B, Ca, Ch, Fr, Gp, Gt, Rb, Sh, snake	M	Mono	IC, IH (F,P), ELISA, IF, microarray, WB	100 μ L	A5228-100UL	¥71,900	S
Anti-Chondroitin Sulfate antibody, clone CS-56	H, M, R, B, Ch, Po, Rb	M	Mono	IF, microarray	200 μ L	C8035-.2ML	¥71,900	S
Anti-MAP2 antibody, clone HM-2	H, M, R, B, Ch, Qu	M	Mono	IH (F,P), WB	200 μ L	M4403-.2ML	¥97,500	S
Anti-Tubulin, Acetylated antibody, clone 6-11B-1	H, M, R, B, Ch, Fr, Ht, invertebrates, Mk, plant, Po, protista	M	Mono	DB, EM, IC, ELISA, RIA, WB	200 μ L	T6793-.2ML	¥93,100	S
Anti- α -Tubulin antibody, clone DM1A	H, M, R, Am, B, Ch, fungi, yeast	M	Mono	IC, IH, IP, microarray, WB	200 μ L	T6199-200UL	¥93,100	S
Anti-Myosin (Skeletal, Fast) antibody, clone MY-32	H, M, R, B, Ch, Fe, Gp, Rb	M	Mono	IH (F,P), IF, WB	100 μ L	M4276-100UL	¥72,000	S
Anti-Myosin (Skeletal, Slow) antibody, clone NOQ7.5.4D	H, M, R, B, Ca, Ch, Fe, Gp, Gt, Ht, Po, Rb, Sh	M	Mono	EM, IH (F,P), ELISA, RIA, WB	100 μ L	M8421-100UL	¥71,900	S
Anti-Vinculin antibody, clone hVIN-1	H, M, R, B, Ca, Ch, Fr, turkey	M	Mono	IH (F), IF, WB	100 μ L	V9131-100UL	¥72,000	S
Anti- β -Tubulin III antibody, clone SDL3D10	H, R, B, boar	M	Mono	ELISA, WB	200 μ L	T8660-.2ML	¥93,100	S
Anti- β -Tubulin antibody, clone TUB 2.1	H, M, R, B, Ch, Fr, Ht, moth, plant, Rb, Su, wheat	M	Mono	IF, WB	200 μ L	T4026-.2ML	¥93,100	S
Anti-gamma-Tubulin antibody, clone GTU-88	H, M, R, B, Ca, Ch, Ht, Xe	M	Mono	IC, ELISA, WB	200 μ L	T6557-.2ML	¥82,500	S
Anti-Actin, α -Smooth Muscle - FITC antibody, clone 1A4	H, M, R, B, Ca, Ch, Fr, Gp, Gt, Rb, Sh, snake	M	Mono	IH (F,P)	200 μ L	F3777-.2ML	¥80,700	S
Anti-S-100 (beta-Subunit) antibody, clone SH-B1	H, R, B, Ca, Fe, Gt, Po, Rb, Sh	M	Mono	DB, IH (F,P), ELISA, microarray	100 μ L	S2532-100UL	¥55,000	S
Anti-Connexin-43 antibody	H, Ma	Rb	Poly	IC, IH (F,P), IH (F), IF, microarray, WB	200 μ L	C6219-.2ML	¥93,100	S



Image by <https://www.citeab.com/>

3 ページでご紹介した the CiteAb Antibody Awards “Antibody of the year” にて、Monoclonal Anti-FLAG® M2 の次点として Monoclonal Anti-Beta-Actin clone AC-15（カタログ番号 A5441）が選出されました。この抗体は 2016 年にも本賞を受賞しております。皆様のご愛顧に感謝申し上げます。



製品名	反応性	免疫動物	抗体タイプ	アプリケーション	包装容量	カタログ番号	希望販売価格	販売取扱
Anti-β-Actin-Peroxidase antibody, clone AC-15	H, M, R, B, Ca, carp, Ch, Fe, Gp, Hirudo medicinalis, Po, Rb, Sh	M	Mono	WB	200 μL	A3854-200UL	¥77,700	S
Anti-Actin antibody, clone AC-40	H, M, R, B, Ca, carp, Ch, Gp, Gt, Ht, Po, Rb, Sh, snail, viper, Xe	M	Mono	IH (F), ELISA, IF, WB	200 μL	A4700-.2ML	¥93,100	S
Anti-Fibronectin antibody	H	Rb	Poly	ELISA, IF, microarray, WB	100 μL	F3648-100UL	¥71,900	S
Anti-Actin antibody, clone AC-40	H, M, R, B, Ca, carp, Ch, Gp, Gt, Ht, Po, Rb, Sh, snail, viper, Xe	M	Mono	IC, IH, ELISA, microassay, WB	200 μL	A3853-200UL	¥93,100	S
Anti-α-Tubulin antibody, clone B-5-1-2	H, M, R, African green monkey, B, Ch, Chlamydomonas, kangaroo rat, Su	M	Mono	IC, IP, microarray, WB	200 μL	T6074-200UL	¥88,000	S
Anti-Uvomorulin/E-Cadherin antibody, clone DECMA-1	H, M, B, Ca	R	Mono	IH (F), IP, IF, microarray, WB	200 μL	U3254-.2ML	¥93,100	S
Anti-MAP2 (2a+2b) antibody, clone AP-20	H, M, R, aquatic salamander, B, Qu, Xe	M	Mono	IC, microarray, WB	200 μL	M2320-200UL	¥121,800	S
Anti-Laminin-2 (alpha-2 Chain) antibody, clone 4H8-2	H, M	R	Mono	IC, IH (F), IP, ELISA, IF, microarray, WB	100 μL	L0663-.1ML	¥96,600	S
Anti-Myosin (Skeletal, Fast) antibody, clone MY-32	H, M, R, B, Ch, Fe, Gp, Rb	M	Mono	IH (F,P), microarray, WB	200 μL	M1570-200UL	¥93,100	S
Anti-α-Tubulin-FITC antibody, clone DM1A	H, M, R, Am, B, Ch, fungi, yeast	M	Mono	IF	500 μL	F2168-.5ML	¥149,500	S
Anti-MAP2 antibody, clone HM-2	H, M, R, B, Ch, Qu	M	Mono	IC, IH, microarray, WB	100 μL	M9942-100UL	¥78,000	S
Anti-Collagen, Type I antibody, clone COL-1	H, R, B, deer, Po, Rb	M	Mono	DB, IH (F), ELISA	200 μL	C2456-.2ML	¥93,100	S
Anti-Actin (20-33) antibody	wide range (animal), WR	Rb	Poly	IH (F,P), IF, microarray, WB	200 μL	A5060-200UL	¥71,900	S
Anti-Vimentin antibody, clone V9	H, R, B, Ca, Ch, Eq, Fe, gerbil, Ht, Mk, Po, Rb	M	Mono	IH (F,P), WB	200 μL	V6630-.2ML	¥93,100	S
Anti-Vinculin antibody, clone VIN-11-5	H, M, B, Ch	M	Mono	IF, microarray, WB	200 μL	V4505-.2ML	¥71,900	S
Anti-β-Tubulin III antibody	H, M, R	Rb	Poly	IP, IF, WB	200 μL	T2200-200UL	¥65,800	S
Anti-α-Actinin (Sarcomeric) antibody, clone EA-53	H, M, R, B, Ca, cat, Ch, F, Fr, Gt, Ht, Li, Po, Rb, Sh, snake	M	Mono	IH (F,P), WB	200 μL	A7732-200UL	¥93,100	S
Anti-β-Tubulin Isotype III antibody, clone SDL3D10	H, M, R, B, boar	M	Mono	DB, IC, IH, ELISA, microarray, WB	200 μL	T5076-200UL	¥70,000	S
Anti-Cytokeratin, pan (Mixture) antibody, clone C-11+PCK-26+CY-90+KS-1A3+M20+A53-B/A2	wide range	M	Mono	IH (F,P), IH (F), IF, WB	100 μL	C2562-100UL	¥55,200	S
Anti-Vimentin antibody, clone V9	H, R, B, Ca, Ch, Eq, Fe, gerbil, Ht, Mk, Po, Rb	M	Mono	FC, IC, IH (F,P), microarray, WB	200 μL	V6389-200UL	¥93,100	S
Anti-Actin, α-Smooth Muscle - Alkaline Phosphatase antibody, clone 1A4	H, M, R, B, Ca, Ch, Fr, Gt, Gp, Rb, Sh, snake	M	Mono	IH (F,P), WB	200 μL	A5691-.2ML	¥80,700	S
Anti-β-Catenin antibody	several Ma	Rb	Poly	DB, IC, IH, WB	200 μL	C2206-.2ML	¥68,000	S
Anti-Podocin antibody	H, M, R	Rb	Poly	IF, WB	200 μL	P0372-200UL	¥83,700	S
Anti-Nestin antibody	H, M, R	Rb	Poly	FC, IH, WB	100 μg	N5413-100UG	¥47,900	S

▶ シグマ アルドリッチの抗体検索はこちら sigma.com/antibody-jp

販売取扱について： カタログ番号を青で表記している製品の取扱いはメルク株式会社、赤で表記している製品の取扱いはシグマ アルドリッチジャパン合同会社となります。ご確認のうえ、各社へご注文くださいますようお願い申し上げます。

【製品の技術的なお問い合わせ（テクニカルサービス）】

<メルク製品>

TEL：03-4531-1140

FAX：03-5434-4859

Email：bioinfo@merckgroup.com

<シグマ アルドリッチ製品>



TEL：03-6756-8245

FAX：03-6756-8302

Email：sialjpts@sial.com

抗体検索方法

欲しい抗体がすぐ見つかる！ シグマ アルドリッチの抗体検索サイトはこちら
sigma.com/antibody-jp



アプリケーションなどで絞り込み可能

免疫染色なら
お任せください

Prestige 抗体の詳細はこちら
sigma.com/prestige-jp

Prestige Antibodies®
 Powered by **ATLAS ANTIBODIES**

ウェブページで簡単サーチ

すぐに確認できる画像データ

HPA001906 SIGMA

抗ATRX抗体 ウサギ宿主抗体

Anti-ATRX antibody produced in rabbit

Prestige Antibodies® Powered by Atlas Antibodies, affinity isolated antibody, buffered aqueous glycerol solution



別名: Anti-XH2, 抗ATP依存性ヘリカーゼATRX抗体 ウサギ宿主抗体, 抗XNP抗体 ウサギ宿主抗体, 抗X連鎖ヘリカーゼII抗体 ウサギ宿主抗体, 抗X連鎖核タンパク質抗体 ウサギ宿主抗体, 抗Znf-HX抗体, 抗転写制御因子ATRX抗体

SDS

Human Protein Atlas Number HPA001906

Human Protein Atlas characterization data

さらにデータを見る場合はこちらの Human Protein Atlas 入口



① 良好な染色の例
(ヒトグリオーマの染色画像)

② 染色の弱い組織の例
(ヒト肝臓組織の染色画像)



- ・ **がん組織**免疫染色の論文多数
- ・ 検証データ（右図 ①）が豊富
- ・ 染まりの良くない組織の画像（右図 ②）も掲載

本紙記載の製品は試験・研究用です。ヒト、動物への治療、もしくは診断目的として使用しないようご注意ください。本紙記載の製品構成は諸般の事情により予告なく変更となる場合がありますのでご了承ください。記載価格に消費税は含まれておりません。本文中のすべてのブランド名または製品名は特記なき場合、Merck KGaAの登録商標もしくは商標です。本紙記載の内容は2017年5月時点の情報です。© 2017 Merck KGaA, Darmstadt, Germany. All rights reserved.

メルク株式会社

ライフサイエンス リサーチ & バイオロジー

〒153-8927 東京都目黒区下目黒 1-8-1 アルコタワー 5F

製品の最新情報はこちら www.merckmillipore.jp/bio

お問合せ▶ E-mail: bioinfo@merckgroup.com Tel: 03-4531-1140 Fax: 03-5434-4859

[RBM020]1705-20K/H